CONTENTS OF VOLUME 23

Articles

ADLER, ROBERT J., MIKOSCH, THOMAS, GADRICH, TAMAR AND KLÜPPELBERG, CLAUDIA. Parameter estimation for ARMA models with infinite variance innovations 305–326

ANDERSON, CHARLES AND PAL, NABENDU. A note on admissibility when precision is unbounded 593–597

ANDREWS, DONALD W. K. AND PLOBERGER, WERNER. Admissibility of the likelihood ratio test when a nuisance parameter is present only under the alternative 1609–1629

ARCONES, MIGUEL A. The asymptotic accuracy of the bootstrap of U-quantiles 1802–1822

BASU, SANJIB AND DASGUPTA, ANIRBAN. Robustness of standard confidence intervals for location parameters under departure from normality 1433–1442

BERGER, ROGER L. AND LIU, HUIMEI. Uniformly more powerful, one-sided tests for hypotheses about linear inequalities 55–72

BIRGÉ, LUCIEN AND MASSART, PASCAL. Estimation of integral functionals of a density 11–29

BORGAN, Ø., GOLDSTEIN, L. AND LANGHOLZ, B. Methods for the analysis of sampled cohort data in the Cox proportional hazards model 1749–1778

BUJA, ANDREAS, TIBSHIRANI, ROBERT AND HASTIE, TREVOR. Penalized discriminant analysis 73–102

CARROLL, R. J., KNICKERBOCKER, R. K. AND WANG, C. Y. Dimension reduction in a semiparametric regression model with errors in covariates 161–181

CHAN, GRACE, HALL, PETER AND POSKITT, D. S. Periodogram-based estimators of fractal properties 1684–1711

CHAN, NGAI HANG AND TERRIN, NORMA. Inference for unstable long-memory processes with applications to fractional unit root autoregressions 1662–1683

CHANG, TED AND KO, DAIJIN. M-estimates of rigid body motion on the sphere and in Euclidean space 1823–1847

CHAO, MIN-TE, LO, SHAW-HWA AND CHEN, KANI. On strong uniform consistency of the Lynden-Bell estimator for truncated data 440–449

CHEN, HANFENG. Tests following transformations 1587–1593

CHEN, HUNG. Asymptotically efficient estimation in semiparametric generalized linear models 1102–1129

CHEN, JIAHUA. Optimal rate of convergence for finite mixture models 221–233

CHEN, KANI, CHAO, MIN-TE AND LO, SHAW-HWA. On strong uniform consistency of the Lynden-Bell estimator for truncated data 440–449

CHENG, C. Uniform consistency of generalized kernel estimators of quantile density 2285–2291
CHENG, CHING-SHUI. Complete class results for the moment matrices of designs over permutation-invariant sets 41–54
CHENG, CHING-SHUI. Some projection properties of orthogonal arrays 1223–1233
CLARKE, B. AND GHOSH, J. K. Posterior convergence given the mean 2116–2144
CORCUERA, J. M. AND OLLER, J. M. Intrinsic analysis of statistical estimation 1562–1581
CSÖRGŐ, MIKLÓS AND HORVÁTH, LAJOS. On the distance between smoothed empirical and quantile processes 113–131
CSÖRGŐ, SÁNDOR AND MIELNICZUK, JAN. Density estimation under long-range dependence 990–999
CSÖRGŐ, SÁNDOR AND MIELNICZUK, JAN. Nonparametric regression under long-range dependent normal errors 1000–1014
DAHLHAUS, RAINER. Efficient location and regression estimation for long range dependent regression models 1029–1047
DASGUPTA, A., GHOSH, J. K. AND ZEN, M. M. A new general method for constructing confidence sets in arbitrary dimensions: with applications 1408–1432
DASGUPTA, ANIRBAN AND BASU, SANJIB. Robustness of standard confidence intervals for location parameters under departure from normality 1433–1442
DAVIS, RICHARD A., HUANG, DAWEI AND YAO, YI-CHING. Testing for a change in the parameter values and order of an autoregressive model 282–304
DETTE, H., HEILIGERS, B. AND STUDDEN, W. J. Minimax designs in linear regression models 30–40
DETTE, HOLGER AND WONG, WENG KEE. On *G*-efficiency calculation for polynomial models 2081–2101
DETTE, HOLGER. Optimal designs for identifying the degree of a polynomial regression 1248–1266
DINWOODIE, I. H. Stationary exponential families 327–337
DOKSUM, KJELL AND SAMAROV, ALEXANDER. Nonparametric estimation of global functionals and a measure of the explanatory power of covariates in regression 1443–1473
DONG, JIANPING AND SIMONOFF, JEFFREY S. A geometric combination estimator for d-dimensional ordinal sparse contingency tables 1143–1159
DOSS, HANI AND LI, GANG. An approach to nonparametric regression for life history data using local linear fitting 787–823
DREES, HOLGER. Refined Pickands estimators of the extreme value index 2059–2080
EFROMOVICH, SAM. Sequential nonparametric estimation with assigned risk 1376–1392

EGGERMONT, P. P. B. AND LARICCIA, V. N. Maximum smoothed likelihood density estimation for inverse problems 199–220
EISELE, JEFFREY R. AND WOODROOFE, MICHAEL B. Central limit theorems for doubly adaptive biased coin designs 234–254
ELLIS, STEVEN P. Dimension of the singular sets of plane-fitters 490–501
ENGEL, JOACHIM AND KNEIP, ALOIS. Model estimation in nonlinear regression under shape invariance 551–570
ERICKSON, ROY V., FABIAN, VÁCLAV AND MAŘÍK, JAN. An optimum design for estimating the first derivative 1234–1247
EUBANK, R. L., HART, J. D., SIMPSON, D. G. AND STEFANSKI, L. A. Testing for additivity in nonparametric regression 1896–1920
FABIAN, VÁCLAV, MAŘÍK, JAN AND ERICKSON, ROY V. An optimum design for estimating the first derivative 1234–1247
FALK, MICHAEL. On testing the extreme value index via the POT-method 2013–2035
FERGER, D. Nonparametric tests for nonstandard change-point problems 1848–1861
FLURY, BERNARD D., TARPEY, THADDEUS AND LI, LUNING. Principal points and self-consistent points of elliptical distributions 103–112
FOURDRINIER, DOMINIQUE AND WELLS, MARTIN T. Estimation of a loss function for spherically symmetric distributions in the general linear model 571–592
GADRICH, TAMAR, KLÜPPELBERG, CLAUDIA, ADLER, ROBERT J. AND MIKOSCH, THOMAS. Parameter estimation for ARMA models with infinite variance innovations 305–326
GASPARINI, MAURO. Exact multivariate Bayesian bootstrap distributions of moments 762–768
GHOSAL, SUBHASHIS, GHOSH, JAYANTA K. AND SAMANTA, TAPAS. On convergence of posterior distributions 2145–2152
GHOSH, J. K. AND CLARKE, B. Posterior convergence given the mean 2116–2144
GHOSH, J. K., ZEN, M. M. AND DASGUPTA, A. A new general method for constructing confidence sets in arbitrary dimensions: with applications 1408–1432
GHOSH, JAYANTA K., SAMANTA, TAPAS AND GHOSAL, SUBHASHIS. On convergence of posterior distributions 2145–2152
GILULA, ZVI AND HABERMAN, SHELBY J. Prediction functions for categorical panel data 1130–1142
GLAD, INGRID K. AND HJORT, NILS LID. Nonparametric density estimation with a parametric start 882–904
GOLDSTEIN, L., LANGHOLZ, B. AND BORGAN, Ø. Methods for the analysis of sampled cohort data in the Cox proportional hazards model 1749–1778
GORDON, LOUIS AND POLLAK, MOSHE. A robust surveillance scheme for stochastically ordered alternatives 1350–1375

GOVINDARAJULU, Z. AND YU, QIQING. Admissibility and minimaxity of the UMVU estimator of $P\{X < Y\}$ 598–607
GREENWOOD, P. E. AND WEFELMEYER, W. Efficiency of empirical estimators for Markov chains 132–143
GROENEBOOM, PIET AND JONGBLOED, GEURT. Isotonic estimation and rates of convergence in Wicksell's problem 1518–1542
GRUND, BIRGIT AND HALL, PETER. On the minimisation of L^p error in mode estimation 2264–2284
GU, CHONG, KLEIN, RONALD, KLEIN, BARBARA, WAHBA, GRACE AND WANG, YUEDONG. Smoothing spline ANOVA for exponential families, with application to the Wisconsin epidemiological study of diabetic retinopathy 1865–1895
GUSTAFSON, PAUL AND WASSERMAN, LARRY. Local sensitivity diagnostics for Bayesian inference 2153–2167
HABERMAN, SHELBY J. AND GILULA, ZVI. Prediction functions for categorical panel data 1130–1142
HALL, PETER AND GRUND, BIRGIT. On the minimisation of L^p error in mode estimation 2264–2284
HALL, PETER AND JING, BING-YI. Uniform coverage bounds for confidence intervals and Berry–Esseen theorems for Edgeworth expansion 363–375
HALL, PETER AND PATIL, PRAKASH. Formulae for mean integrated squared error of nonlinear wavelet-based density estimators 905–928
HALL, PETER, HU, TIEN CHUNG AND MARRON, J. S. Improved variable window kernel estimates of probability densities . . . 1–10
HALL, PETER, LAHIRI, SOUMENDRA NATH AND POLZEHL, JÖRG. On bandwidth choice in nonparametric regression with both short- and long-range dependent errors 1921–1936
HALL, PETER, LAHIRI, SOUMENDRA NATH AND TRUONG, YOUNG K. On bandwidth choice for density estimation with dependent data 2241–2263
HALL, PETER, POSKITT, D. S. AND CHAN, GRACE. Periodogram-based estimators of fractal properties 1684–1711
HART, J. D., SIMPSON, D. G., STEFANSKI, L. A. AND EUBANK, R. L. Testing for additivity in nonparametric regression 1896–1920
HASTIE, TREVOR, BUJA, ANDREAS AND TIBSHIRANI, ROBERT. Penalized discriminant analysis 73–102
HEILIGERS, B., STUDDEN, W. J. AND DETTE, H. Minimax designs in linear regression models 30–40
HENGARTNER, NICOLAS W. AND STARK, PHILIP B. Finite-sample confidence envelopes for shape-restricted densities 525–550
HJORT, NILS LID AND GLAD, INGRID K. Nonparametric density estimation with a parametric start 882–904
HÖSSJER, OLA AND RUPPERT, DAVID. Asymptotics for the transformation kernel density estimator 1198–1222

HORVÁTH, LAJOS AND CSÖRGŐ, MIKLÓS. On the distance between smoothed empirical and quantile processes 113–131
HU, TIEN CHUNG, MARRON, J. S. AND HALL, PETER. Improved variable window kernel estimates of probability densities . . . 1–10
HUANG, DAWEI, YAO, YI-CHING AND DAVIS, RICHARD A. Testing for a change in the parameter values and order of an autoregressive model 282–304
JACOBSEN, MARTIN AND KEIDING, NIELS. Coarsening at random in general sample spaces and random censoring in continuous time 774–786
JING, BING-YI AND HALL, PETER. Uniform coverage bounds for confidence intervals and Berry–Esseen theorems for Edgeworth expansion 363–375
JONGBLOED, GEURT AND GROENEBOOM, PIET. Isotonic estimation and rates of convergence in Wicksell's problem 1518–1542
KADANE, JOSEPH B., SEIDENFELD, TEDDY AND SCHERVISH, MARK J. A representation of partially ordered preferences 2168–2217
KALLENBERG, WILBERT C. M. AND LEDWINA, TERESA. Consistency and Monte Carlo simulation of a data driven version of smooth goodness-of-fit tests 1594–1608
KEIDING, NIELS AND JACOBSEN, MARTIN. Coarsening at random in general sample spaces and random censoring in continuous time 774–786
KLEIN, BARBARA, WAHBA, GRACE, WANG, YUEDONG, GU, CHONG AND KLEIN, RONALD. Smoothing spline ANOVA for exponential families, with application to the Wisconsin epidemiological study of diabetic retinopathy 1865–1895
KLEIN, RONALD, KLEIN, BARBARA, WAHBA, GRACE, WANG, YUEDONG AND GU, CHONG. Smoothing spline ANOVA for exponential families, with application to the Wisconsin epidemiological study of diabetic retinopathy 1865–1895
KLÜPPELBERG, CLAUDIA, ADLER, ROBERT J., MIKOSCH, THOMAS AND GADRICH, TAMAR. Parameter estimation for ARMA models with infinite variance innovations 305–326
KNEIP, ALOIS AND ENGEL, JOACHIM. Model estimation in nonlinear regression under shape invariance 551–570
KNICKERBOCKER, R. K., WANG, C. Y. AND CARROLL, R. J. Dimension reduction in a semiparametric regression model with errors in covariates 161–181
KO, DAIJIN AND CHANG, TED. *M*-estimates of rigid body motion on the sphere and in Euclidean space 1823–1847
KOROSTELEV, A. P., SIMAR, L. AND TSYBAKOV, A. B. Efficient estimation of monotone boundaries 476–489
KOUL, HIRA L. AND SALEH, A. K. MD. E. Autoregression quantiles and related rank-scores processes 670–689

KULKARNI, SANJEEV R. AND ZEITOUNI, OFER. A general classification rule for probability measures 1393–1407
LARICCIA, V. N. AND EGGERMONT, P. P. B. Maximum smoothed likelihood density estimation for inverse problems 199–220
LAHIRI, S. N. On the asymptotic behaviour of the moving block bootstrap for normalized sums of heavy-tail random variables 1331–1349
LAHIRI, SOUMENDRA NATH, POLZEHL, JÖRG AND HALL, PETER. On bandwidth choice in nonparametric regression with both short- and long-range dependent errors 1921–1936
LAHIRI, SOUMENDRA NATH, TRUONG, YOUNG K. AND HALL, PETER. On bandwidth choice for density estimation with dependent data 2241–2263
LANGHOLZ, B., BORGAN, Ø. AND GOLDSTEIN, L. Methods for the analysis of sampled cohort data in the Cox proportional hazards model 1749–1778
LEDWINA, TERESA AND KALLENBERG, WILBERT C. M. Consistency and Monte Carlo simulation of a data driven version of smooth goodness-of-fit tests 1594–1608
LEE, STEPHEN M. S. AND YOUNG, G. ALASTAIR. Asymptotic iterated bootstrap confidence intervals 1301–1330
LI, GANG AND DOSS, HANI. An approach to nonparametric regression for life history data using local linear fitting 787–823
LI, LUNING, FLURY, BERNARD D. AND TARPEY, THADDEUS. Principal points and self-consistent points of elliptical distributions 103–112
LI, TA-HSIN. Blind deconvolution of linear systems with multilevel nonstationary inputs 690–704
LIN, D. Y. AND YING, ZHILIANG. Semiparametric analysis of general additive–multiplicative hazard models for counting processes 1712–1734
LINTON, OLIVER B. AND NIELSEN, JENS P. Kernel estimation in a nonparametric marker dependent hazard model 1735–1748
LIU, HUIMEI AND BERGER, ROGER L. Uniformly more powerful, one-sided tests for hypotheses about linear inequalities 55–72
LO, SHAW-HWA, CHEN, KANI AND CHAO, MIN-TE. On strong uniform consistency of the Lynden-Bell estimator for truncated data 440–449
LOW, MARK G. Bias–variance tradeoffs in functional estimation problems 824–835
MÄCHLER, MARTIN B. Variational solution of penalized likelihood problems and smooth curve estimation 1496–1517
MAMMEN, E. AND TSYBAKOV, A. B. Asymptotical minimax recovery of sets with smooth boundaries 502–524
MAŘÍK, JAN, ERICKSON, ROY V. AND FABIAN, VÁCLAV. An optimum design for estimating the first derivative 1234–1247

MARDIA, KANTI V. AND PRENTICE, MICHAEL J. Shape changes in the plane for landmark data 1960–1974
MARRON, J. S., HALL, PETER AND HU, TIEN CHUNG. Improved variable window kernel estimates of probability densities . . . 1–10
MARTINSEK, ADAM T. AND XU, YI. Sequential confidence bands for densities 2218–2240
MASSART, PASCAL AND BIRGÉ, LUCIEN. Estimation of integral functionals of a density 11–29
MCCABE, B. P. M. AND TREMAYNE, A. R. Testing a time series for difference stationarity 1015–1028
MCKEAGUE, IAN W., NIKABADZE, A. M. AND SUN, YANQING. An omnibus test for independence of a survival time from a covariate 450–475
MCLEOD, A. IAN, THOMPSON, MARY E. AND VALZ, PAUL D. Cumulant generating function and tail probability approximations for Kendall's score with tied rankings 144–160
MIELNICZUK, JAN AND CSÖRGŐ, SÁNDOR. Density estimation under long-range dependence 990–999
MIELNICZUK, JAN AND CSÖRGŐ, SÁNDOR. Nonparametric regression under long-range dependent normal errors 1000–1014
MIKOSCH, THOMAS, GADRICH, TAMAR, KLÜPPELBERG, CLAUDIA AND ADLER, ROBERT J. Parameter estimation for ARMA models with infinite variance innovations 305–326
MÜLLER, HANS-GEORG AND ZHAO, PENG-LIANG. On a semiparametric variance function model and a test for heteroscedasticity 946–967
MUKERJEE, RAHUL AND WU, C. F. JEFF. On the existence of saturated and nearly saturated asymmetrical orthogonal arrays 2102–2115
MURPHY, S. A. Asymptotic theory for the frailty model 182–198
MYKLAND, PER ASLAK. Dual likelihood 396–421
MYKLAND, PER ASLAK. Martingale expansions and second order inference 707–731
NEUMANN, MICHAEL H. Automatic bandwidth choice and confidence intervals in nonparametric regression 1937–1959
NIELSEN, JENS P. AND LINTON, OLIVER B. Kernel estimation in a nonparametric marker dependent hazard model 1735–1748
NIKABADZE, A. M., SUN, YANQING AND MCKEAGUE, IAN W. An omnibus test for independence of a survival time from a covariate 450–475
NYCHKA, DOUGLAS. Splines as local smoothers 1175–1197
O'SULLIVAN, FINBARR. A study of least squares and maximum likelihood for image reconstruction in positron emission tomography 1267–1300
OLLER, J. M. AND CORCUERA, J. M. Intrinsic analysis of statistical estimation 1562–1581

PAL, NABENDU AND ANDERSON, CHARLES. A note on admissibility when precision is unbounded 593–597
PATIL, PRAKASH AND HALL, PETER. Formulae for mean integrated squared error of nonlinear wavelet-based density estimators 905–928
PISTONE, GIOVANNI AND SEMPI, CARLO. An infinite-dimensional geometric structure on the space of all the probability measures equivalent to a given one 1543–1561
PLOBERGER, WERNER AND ANDREWS, DONALD W. K. Admissibility of the likelihood ratio test when a nuisance parameter is present only under the alternative 1609–1629
POLLAK, MOSHE AND GORDON, LOUIS. A robust surveillance scheme for stochastically ordered alternatives 1350–1375
POLONIK, WOLFGANG. Measuring mass concentrations and estimating density contour clusters—an excess mass approach . 855–881
POLZEHL, JÖRG, HALL, PETER AND LAHIRI, SOUMENDRA NATH. On bandwidth choice in nonparametric regression with both short- and long-range dependent errors 1921–1936
POSKITT, D. S., CHAN, GRACE AND HALL, PETER. Periodogram-based estimators of fractal properties 1684–1711
PRENTICE, MICHAEL J. AND MARDIA, KANTI V. Shape changes in the plane for landmark data 1960–1974
RICHARDS, DONALD ST. P. Exact asymptotics for some probability distributions on compact manifolds 1582–1586
ROBINSON, P. M. Gaussian semiparametric estimation of long range dependence 1630–1661
ROBINSON, P. M. Log-periodogram regression of time series with long range dependence 1048–1072
ROSENTHAL, JEFFREY S. Rates of convergence for Gibbs sampling for variance component models 740–761
RÜSCHENDORF, LUDGER. Convergence of the iterative proportional fitting procedure 1160–1174
RUBIN, HERMAN AND SONG, KAI-SHENG. Exact computation of the asymptotic efficiency of maximum likelihood estimators of a discontinuous signal in a Gaussian white noise 732–739
RUPPERT, DAVID AND HÖSSJER, OLA. Asymptotics for the transformation kernel density estimator 1198–1222
SALEH, A. K. MD. E. AND KOUL, HIRA L. Autoregression quantiles and related rank-scores processes 670–689
SAMANTA, TAPAS, GHOSAL, SUBHASHIS AND GHOSH, JAYANTA K. On convergence of posterior distributions 2145–2152
SAMAROV, ALEXANDER AND DOKSUM, KJELL. Nonparametric estimation of global functionals and a measure of the explanatory power of covariates in regression 1443–1473
SCHERVISH, MARK J., KADANE, JOSEPH B. AND SEIDENFELD, TEDDY. A representation of partially ordered preferences 2168–2217

SEIDENFELD, TEDDY, SCHERVISH, MARK J. AND KADANE, JOSEPH B. A representation of partially ordered preferences 2168–2217
SEMPI, CARLO AND PISTONE, GIOVANNI. An infinite-dimensional geometric structure on the space of all the probability measures equivalent to a given one 1543–1561
SHEN, LARRY Z. On optimal B-robust influence functions in semiparametric models 968–989
SHEN, XIAOTONG AND WONG, WING HUNG. Probability inequalities for likelihood ratios and convergence rates of sieve MLEs 339–362
SIEGMUND, D. AND VENKATRAMAN, E. S. Using the generalized likelihood ratio statistic for sequential detection of a change-point 255–271
SIEGMUND, DAVID O. AND WORSLEY, KEITH J. Testing for a signal with unknown location and scale in a stationary Gaussian random field 608–639
SIMAR, L., TSYBAKOV, A. B. AND KOROSTELEV, A. P. Efficient estimation of monotone boundaries 476–489
SIMONOFF, JEFFREY S. AND DONG, JIANPING. A geometric combination estimator for d-dimensional ordinal sparse contingency tables 1143–1159
SIMPSON, D. G., STEFANSKI, L. A., EUBANK, R. L. AND HART, J. D. Testing for additivity in nonparametric regression 1896–1920
SONG, KAI-SHENG AND RUBIN, HERMAN. Exact computation of the asymptotic efficiency of maximum likelihood estimators of a discontinuous signal in a Gaussian white noise 732–739
STARK, PHILIP B. AND HENGARTNER, NICOLAS W. Finite-sample confidence envelopes for shape-restricted densities 525–550
STEFANOV, VALERI T. Explicit limit results for minimal sufficient statistics and maximum likelihood estimators in some Markov processes: exponential families approach 1073–1101
STEFANSKI, L. A., EUBANK, R. L., HART, J. D. AND SIMPSON, D. G. Testing for additivity in nonparametric regression 1896–1920
STEIN, MICHAEL L. Predicting integrals of random fields using observations on a lattice 1975–1990
STEIN, MICHAEL L. Locally lattice sampling designs for isotropic random fields 1991–2012
STUDDEN, W. J., DETTE, H. AND HEILIGERS, B. Minimax designs in linear regression models 30–40
STUTE, WINFRIED. The central limit theorem under random censorship 422–439
SUN, YANQING, MCKEAGUE, IAN W. AND NIKABADZE, A. M. An omnibus test for independence of a survival time from a covariate 450–475
TARPEY, THADDEUS, LI, LUNING AND FLURY, BERNARD D. Principal points and self-consistent points of elliptical distributions 103–112

TERRIN, NORMA AND CHAN, NGAI HANG. Inference for unstable long-memory processes with applications to fractional unit root autoregressions 1662–1683
THOMPSON, MARY E., VALZ, PAUL D. AND MCLEOD, A. IAN. Cumulant generating function and tail probability approximations for Kendall's score with tied rankings 144–160
TIBSHIRANI, ROBERT, HASTIE, TREVOR AND BUJA, ANDREAS. Penalized discriminant analysis 73–102
TREMAYNE, A. R. AND MCCABE, B. P. M. Testing a time series for difference stationarity 1015–1028
TRUONG, YOUNG K., HALL, PETER AND LAHIRI, SOUMENDRA NATH. On bandwidth choice for density estimation with dependent data 2241–2263
TSYBAKOV, A. B. AND MAMMEN, E. Asymptotical minimax recovery of sets with smooth boundaries 502–524
TSYBAKOV, A. B., KOROSTELEV, A. P. AND SIMAR, L. Efficient estimation of monotone boundaries 476–489
VALZ, PAUL D., MCLEOD, A. IAN AND THOMPSON, MARY E. Cumulant generating function and tail probability approximations for Kendall's score with tied rankings 144–160
VAN DE GEER, SARA. Exponential inequalities for martingales, with application to maximum likelihood estimation for counting processes 1779–1801
VENKATRAMAN, E. S. AND SIEGMUND, D. Using the generalized likelihood ratio statistic for sequential detection of a change-point 255–271
WAHBA, GRACE, WANG, YUEDONG, GU, CHONG, KLEIN, RONALD AND KLEIN, BARBARA. Smoothing spline ANOVA for exponential families, with application to the Wisconsin epidemiological study of diabetic retinopathy 1865–1895
WANG, C. Y., CARROLL, R. J. AND KNICKERBOCKER, R. K. Dimension reduction in a semiparametric regression model with errors in covariates 161–181
WANG, YUEDONG, GU, CHONG, KLEIN, RONALD, KLEIN, BARBARA AND WAHBA, GRACE. Smoothing spline ANOVA for exponential families, with application to the Wisconsin epidemiological study of diabetic retinopathy 1865–1895
WASSERMAN, LARRY AND GUSTAFSON, PAUL. Local sensitivity diagnostics for Bayesian inference 2153–2167
WEFELMEYER, W. AND GREENWOOD, P. E. Efficiency of empirical estimators for Markov chains 132–143
WEI, XIAOYING. Asymptotically efficient estimation of the index of regular variation 2036–2058
WELLS, MARTIN T. AND FOURDRINIER, DOMINIQUE. Estimation of a loss function for spherically symmetric distributions in the general linear model 571–592

WONG, WENG KEE AND DETTE, HOLGER. On G-efficiency calculation for polynomial models 2081–2101
WONG, WING HUNG AND SHEN, XIAOTONG. Probability inequalities for likelihood ratios and convergence rates of sieve MLEs 339–362
WOODROOFE, MICHAEL B. AND EISELE, JEFFREY R. Central limit theorems for doubly adaptive biased coin designs 234–254
WORSLEY, K. J. Estimating the number of peaks in a random field using the Hadwiger characteristic of excursion sets, with applications to medical images 640–669
WORSLEY, KEITH J. AND SIEGMUND, DAVID O. Testing for a signal with unknown location and scale in a stationary Gaussian random field 608–639
WU, C. F. JEFF AND MUKERJEE, RAHUL. On the existence of saturated and nearly saturated asymmetrical orthogonal arrays 2102–2115
WU, COLIN O. Estimating the real parameter in a two-sample proportional odds model 376–395
WU, TIEE-JIAN. Adaptive root n estimates of integrated squared density derivatives 1474–1495
XIANG, XIAOJING. Deficiency of the sample quantile estimator with respect to kernel quantile estimators for censored data . 836–854
XU, JIAN-LUN AND YANG, GRACE L. A note on a characterization of the exponential distribution based on a type II censored sample 769–773
XU, YI AND MARTINSEK, ADAM T. Sequential confidence bands for densities 2218–2240
YAKIR, BENJAMIN. A note on the run length to false alarm of a change-point detection policy 272–281
YANG, GRACE L. AND XU, JIAN-LUN. A note on a characterization of the exponential distribution based on a type II censored sample 769–773
YAO, YI-CHING, DAVIS, RICHARD A. AND HUANG, DAWEI. Testing for a change in the parameter values and order of an autoregressive model 282–304
YING, ZHILIANG AND LIN, D. Y. Semiparametric analysis of general additive–multiplicative hazard models for counting processes 1712–1734
YOUNG, G. ALASTAIR AND LEE, STEPHEN M. S. Asymptotic iterated bootstrap confidence intervals 1301–1330
YU, QIQING AND GOVINDARAJULU, Z. Admissibility and minimaxity of the UMVU estimator of $P\{X < Y\}$ 598–607
ZEITOUNI, OFER AND KULKARNI, SANJEEV R. A general classification rule for probability measures 1393–1407
ZEN, M. M., DASGUPTA, A. AND GHOSH, J. K. A new general method for constructing confidence sets in arbitrary dimensions: with applications 1408–1432

ZHANG, CUN-HUI. On estimating mixing densities in discrete exponential family models 929–945
ZHAO, PENG-LIANG AND MÜLLER, HANS-GEORG. On a semiparametric variance function model and a test for heteroscedasticity 946–967

Corrections

DAWID, A. P. AND LAURITZEN, S. L. Hyper Markov laws in the statistical analysis of decomposable graphical models 1864
GHOSH, J. K., HALL, W. J. AND WIJSMAN, R. A. The relationship between sufficiency and invariance with applications in sequential analysis 705
HALL, W. J., WIJSMAN, R. A. AND GHOSH, J. K. The relationship between sufficiency and invariance with applications in sequential analysis 705
LAURITZEN, S. L. AND DAWID, A. P. Hyper Markov laws in the statistical analysis of decomposable graphical models 1864
MENÉNDEZ, J. A. AND SALVADOR, B. Anomalies of the likelihood ratio test for testing restricted hypotheses 2292
SALVADOR, B. AND MENÉNDEZ, J. A. Anomalies of the likelihood ratio test for testing restricted hypotheses 2292
SCHICK, ANTON. On efficient estimation in regression models ... 1862–1863
WIJSMAN, R. A., GHOSH, J. K. AND HALL, W. J. The relationship between sufficiency and invariance with applications in sequential analysis 705